



VANJSKA


UMBERTA

UMBERTA BLACK 2xE27, IP66

UMBERTA GREY 2xE27, IP66

UMBERTA WHITE 2xE27, IP66

■ **Dimension:** Ø350x94mm



UMBERTA BLACK



UMBERTA GREY



UMBERTA WHITE



LUCIA



LUCIA BLACK



LUCIA GREY





LUCIA WHITE

LUCIA BLACK OPAL E27, IP66

LUCIA GREY OPAL E27, IP66

LUCIA WHITE OPAL E27, IP66

■ **Dimension:** Ø300x90mm





LUCIA EL

LUCIA EL BLACK OPAL E27, IP66

LUCIA EL GREY OPAL E27, IP66

LUCIA EL WHITE OPAL E27, IP66

■ **Dimension:** Ø300x90mm



LUCIA EL BLACK



LUCIA EL GREY



LUCIA EL WHITE


BERTA

BERTA BLACK IP66, E27

BERTA GREY IP66, E27

BERTA WHITE IP66, E27

■ **Dimension:** Ø275x80mm



BERTA BLACK



BERTA GREY



BERTA WHITE


DANZI

DANZI BLACK E27, IP66

DANZI GREY E27, IP66

DANZI WHITE E27, IP66

■ **Dimension:** 338x245x90mm



DANZI BLACK



DANZI GREY




DANZI WHITE

BERTINA

BERTINA	WHITE/OPAL	GX53, LED, 10W, CCT, IP66
BERTINA	GREY/OPAL	GX53, LED, 10W, CCT, IP66
BERTINA	BLACK/OPAL	GX53, LED, 10W, CCT, IP66

- **Dimension:** Ø200x70mm
- **S ovim artiklom dolazi led žarulja**



BERTINA WHITE/OPAL



BERTINA GREY/OPAL




BERTINA BLACK/OPAL

STUCCHI

STUCCHI	BLACK/OPAL	E-27, IP66
STUCCHI	GREY/OPAL	E-27, IP66
STUCCHI	WHITE/OPAL	E-27, IP66

▪ **Dimension:** 310x310x90mm



STUCCHI BLACK/OPAL



STUCCHI GREY/OPAL




STUCCHI WHITE/OPAL

RITA

RITA ANT. GREEN/OPAL E-27, IP66

RITA ANT. BRONZE/OPAL E-27, IP66

▪ **Dimension:** Ø355x90mm



RITA ANT. BRONZE/OPAL



RITA ANT. GREEN/OPAL

FRANCY

FRANCY BLACK 6W, E27, LED, 2700K, IP66

FRANCY GREY 6W, E27, LED, 2700K, IP66

FRANCY WHITE 6W, E27, LED, 2700K, IP66

▪ **Dimension:** 300x130x85mm

▪ **S ovim artiklom dolazi led žarulja**




FRANCY BLACK



FRANCY GREY



FRANCY WHITE




FRANCY OP

FRANCY OP BLACK OPAL E27, IP66

FRANCY OP GREY OPAL E27, IP66

FRANCY OP WHITE OPAL E27, IP66

▪ **Dimension:** 300x130x85mm



FRANCY OP BLACK



FRANCY OP GREY




FRANCY OP WHITE

ABRAM 190

ABRAM 190 WHITE IP55, RS7, 7.5W, CCT/8.5W, 3000K

ABRAM 190 BLACK IP55, RS7, 7.5W, CCT/8.5W, 3000K



- **Dimension:** 195x120x60mm
- **S ovim artiklom dolazi led žarulja**




ABRAM 190 WHITE



ABRAM 190 BLACK



ABRAM 270 BLACK/CLEAR




ABRAM 270 WHITE/CLEAR

ABRAM 270

ABRAM 270 BLACK/CLEAR R7S LED 10,5 CCT, IP55

ABRAM 270 WHITE/CLEAR R7S LED 10,5 CCT, IP55

- **Dimension:** 265x120x60mm
- **S ovim artiklom dolazi led žarulja**




NINA 190

NINA 190 BLACK OPAL R7S, LED, 7.5W, CCT/8.5, 2700K, IP55

NINA 190 GREY OPAL R7S, LED, 7.5W, CCT/8.5, 2700K, IP55

NINA 190 WHITE OPAL R7S, LED, 7.5W, CCT/8.5, 2700K, IP55

- **Dimension:** 185x50x50mm
- **S ovim artiklom dolazi led žarulja i kutija za ugradnju**



NINA 190 GREY



NINA 190 WHITE




LETI 300

LETI 300 BLACK GX53, LED, 6W (2*3W), CCT/3000K, IP66

LETI 300 GREY GX53, LED, 6W (2*3W), CCT/3000K, IP66

LETI 300 WHITE GX53, LED, 6W (2*3W), CCT/3000K, IP66

- **Dimension:** 293x113x104mm
- **S ovim artiklom dolazi led žarulja i kutija za ugradnju**




LETI 300 BLACK



LETI 300 GREY



LETI 300 WHITE



LETI 300-GL WHITE



LETI 300-GL BLACK



LETI 300-GL GREY


LETI 300-GL

LETI 300-GL WHITE GX53, LED, 6W (2*3W), CCT/3000K, IP66

LETI 300-GL GREY GX53, LED, 6W (2*3W), CCT/3000K, IP66

LETI 300-GL BLACK GX53, LED, 6W (2*3W), CCT/3000K, IP66

- **Dimension:** 293x113x104mm
- **S ovim artiklom dolazi led žarulja i kutija za ugradnju**




LETI 300-HS

LETI 300-HS BLACK GX53, LED, 6W (2*3W), CCT/3000K, IP66

LETI 300-HS GREY GX53, LED, 6W (2*3W), CCT/3000K, IP66

LETI 300-HS WHITE GX53, LED, 6W (2*3W), CCT/3000K, IP66

- **Dimension:** 293x113x104mm
- **S ovim artiklom dolazi led žarulja i kutija za ugradnju**



LETI 300-HS BLACK



LETI 300-HS GREY



LETI 300-HS WHITE





LORENZA 150 BLACK/CLEAR




LORENZA 150 WHITE/CLEAR

LORENZA 150

LORENZA 150 BLACK/CLEAR R7S, LED, 3,2W, CCT, IP55

LORENZA 150 WHITE/CLEAR R7S, LED, 3,2W, CCT, IP55

- Dimension: 150x150x45mm
- S ovim artiklom dolazi led žarulja



LORENZA 190

LORENZA 190 BLACK/CLEAR R7S, LED, 7,5W, CCT, IP55

LORENZA 190 WHITE/CLEAR R7S, LED, 7,5W, CCT, IP55


- Dimension: 190x150x45mm
- S ovim artiklom dolazi led žarulja



LORENZA 190 BLACK/CLEAR



LORENZA 190 WHITE/CLEAR



LORENZA 270 BLACK/CLEAR




LORENZA 270 WHITE/CLEAR

LORENZA 270

LORENZA 270 BLACK/CLEAR R7S, LED, 10,5W, CCT, IP55

LORENZA 270 WHITE/CLEAR R7S, LED, 10,5W, CCT, IP55

- Dimension: 260x150x45mm
- S ovim artiklom dolazi led žarulja




TERESA

TERESA BLACK IP67, G9, 1.7W, 3000K, IP67

TERESA WHITE IP67, G9, 1.7W, 3000K, IP67

- **Dimension:** Ø50x100mm - installation housing depth: 90/70mm
- **S ovim artiklom dolazi led žarulja**



TERESA BLACK




TERESA WHITE

TERESA 1L

TERESA 1L BLACK IP67, G9, 1.7W, 3000K, IP67

TERESA 1L WHITE IP67, G9, 1.7W, 3000K, IP67

- **Dimension:** Ø50x100mm - installation housing depth: 90/70mm
- **S ovim artiklom dolazi led žarulja**



TERESA 1L BLACK



TERESA 1L WHITE

TERESA 2L

TERESA 2L BLACK IP67, G9, 1.7W, 3000K, IP67

TERESA 2L WHITE IP67, G9, 1.7W, 3000K, IP67


- **Dimension:** Ø50x100mm - installation housing depth: 90/70mm
- **S ovim artiklom dolazi led žarulja**



TERESA 2L BLACK



TERESA 2L WHITE




LIVIA 60

LIVIA 60 WHITE IP55, G9, 1.7W, 3000K

LIVIA 60 BLACK IP55, G9, 1.7W, 3000K

- **Dimension:** Ø60x69mm
- **S ovim artiklom dolazi led žarulja**



LIVIA 60 WHITE




LIVIA 60 BLACK

LIVIA 160

LIVIA 160 BLACK IP55, GX53, 10W, 1000Lm, 6500K-4000K-2700K/CCT

LIVIA 160 WHITE IP55, GX53, 10W, 1000Lm, 6500K-4000K-2700K/CCT

- **Dimension:** Ø160x100mm
- **S ovim artiklom dolazi led žarulja**



LIVIA 160 BLACK




LIVIA 160 WHITE

LIVIA 180

LIVIA 180 WHITE IP55, E27, 30W, 3000K/CCT

LIVIA 180 BLACK IP55, E27, 30W, 3000K/CCT

- **Dimension:** Ø180x200mm
- **S ovim artiklom dolazi led žarulja**



LIVIA 180 WHITE



LIVIA 180 BLACK

FRANCA 90

FRANCA 90 WHITE GU10, LED, 3.5W, CCT/3000K, IP55

FRANCA 90 GREY GU10, LED, 3.5W, CCT/3000K, IP55

FRANCA 90 BLACK GU10, LED, 3.5W, CCT/3000K, IP55

▪ **Dimension:** Ø95x115mm

▪ **S ovim artiklom dolazi led žarulja**





FRANCA 90 WHITE



FRANCA 90 GREY



FRANCA 90 BLACK



FRANCA 90-1L WALL

FRANCA 90-1L WALL WHITE GU10, LED, 3.5W, CCT/3000K, IP55

FRANCA 90-1L WALL GREY GU10, LED, 3.5W, CCT/3000K, IP55

FRANCA 90-1L WALL BLACK GU10, LED, 3.5W, CCT/3000K, IP55

▪ **Dimension:** Ø95x 110x128mm

▪ **S ovim artiklom dolazi led žarulja**




FRANCA 90-1L WALL
WHITE



FRANCA 90-1L WALL
GREY



FRANCA 90-1L WALL
BLACK



FRANCA 90-2L WALL

FRANCA 90-2L WALL WHITE GU10, LED, 7W (2*3.5W), CCT/3000K, IP55

FRANCA 90-2L WALL GREY GU10, LED, 7W (2*3.5W), CCT/3000K, IP55

FRANCA 90-2L WALL BLACK GU10, LED, 7W (2*3.5W), CCT/3000K, IP55

▪ **S ovim artiklom dolazi led žarulja**

▪ **Dimension:** Ø95x 110x240mm




FRANCA 90-2L WALL
WHITE



FRANCA 90-2L WALL
GREY



FRANCA 90-2L WALL
BLACK



MARTA 90

MARTA 90 1L BLACK/FROSTED GU10, LED, 3,5W, CCT, IP55

MARTA 90 1L WHITE/FROSTED GU10, LED, 3,5W, CCT, IP55


MARTA 90 2L BLACK/FROSTED GU10, LED, 7W, CCT, IP55

MARTA 90 2L WHITE/FROSTED GU10, LED, 7W, CCT, IP55

- **Dimension:** 170x92x80mm
- **S ovim artiklom dolazi led žarulja**



MARTA 90 1L WHITE/FROSTED



MARTA 90 1L
BLACK/FROSTED



MARTA 90 1L
WHITE/FROSTED





MARTA 90 2L
BLACK/FROSTED



MARTA 90 2L
WHITE/FROSTED



MARTA 90 2L BLACK/FROSTED



MARTA 160


MARTA 160 1L BLACK/FROSTED GX53, LED, 3W, CCT, IP55

MARTA 160 1L WHITE/FROSTED GX53, LED, 3W, CCT, IP55

MARTA 160 2L BLACK/FROSTED GX53, LED, 7W, CCT, IP55

MARTA 160 2L WHITE/FROSTED GX53, LED, 7W, CCT, IP55

- **Dimension:** 192x164x145mm
- **S ovim artiklom dolazi led žarulja**



AMELIA WALL

AMELIA WALL BLACK OPAL E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

AMELIA WALL GREY OPAL E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

AMELIA WALL WHITE OPAL E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

- Dimension: 260x110mm
- S ovim artiklom dolazi led žarulja




AMELIA WALL
BLACK



AMELIA WALL
GREY



AMELIA WALL
WHITE




AMELIA 250

AMELIA 250 BLACK OPAL E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

AMELIA 250 GREY OPAL E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

AMELIA 250 WHITE OPAL E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

- Dimension: Ø100x250mm
- S ovim artiklom dolazi led žarulja



AMELIA 250
BLACK



AMELIA 250
GREY



AMELIA 250
WHITE




AMELIA 800

AMELIA 800 BLACK OPAL E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

AMELIA 800 GREY OPAL E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

AMELIA 800 WHITE OPAL E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

- Dimension: Ø100x800mm
- S ovim artiklom dolazi led žarulja



AMELIA 800
WHITE



AMELIA 800
BLACK



AMELIA 800
GREY




CARLO 800, 400, 250

CARLO 800 BLACK GU10, 6W, CCT, IP55

CARLO 400 BLACK GU10, 6W, CCT, IP55

CARLO 250 BLACK GU10, 6W, CCT, IP55

- S ovim artiklom dolazi led žarulja



CARLO 250 BLACK



CARLO 400 BLACK




CARLO 800 BLACK

CARLO-FS

CARLO-FS BLACK/CLEAR GU10 LED 6W CCT, IP55

- Dimension: 340x170mm
- S ovim artiklom dolazi led žarulja




ESTER 500, 800

ESTER 500 BLACK CLEAR GX53 LED 10W CCT, IP55

ESTER 800 BLACK CLEAR GX53 LED 10W CCT, IP55

- S ovim artiklom dolazi led žarulja



ESTER 500



ESTER 800




ELISA 800, 500

ELISA 800 BLACK GX53, 7W, CCT, IP55

ELISA 500 BLACK GX53, 7W, CCT, IP55

- S ovim artiklom dolazi led žarulja



SAURO 800

SAURO 800 BLACK GX53, 10W, CCT, IP55


- S ovim artiklom dolazi led žarulja



ELISA 800 BLACK



ELISA 500 BLACK



SAURO 800 BLACK


STEVEN

STEVEN BLACK FROSTED G9, LED, 1.7W, 3000K, IP67

STEVEN GREY FROSTED G9, LED, 1.7W, 3000K, IP67

STEVEN WHITE FROSTED G9, LED, 1.7W, 3000K, IP67

- S ovim artiklom dolazi led žarulja



STEVEN BLACK

STEVEN GREY

STEVEN WHITE



MINITOMMY EL SPIKE

MINITOMMY EL SPIKE BLACK FROSTED GU10, LED, 6W, CCT, SET, IP66

MINITOMMY EL SPIKE GREY FROSTED GU10, LED, 6W, CCT, SET, IP66

- S ovim artiklom dolazi led žarulja



MINITOMMY EL SPIKE
BLACK

MINITOMMY EL SPIKE
GREY

CECI

CECI 90 GREY GU10, LED, 3.5W, CCT/3000K, IP67

CECI 90 2L GREY POKROV

CECI 90 3L GREY POKROV


CECI 120 GREY GX53, LED, 3W, 3000K/CCT, IP67

CECI 160 GREY GX53, LED, 7W, 3000K/CCT, IP67

• S ovim artiklom dolazi led žarulja



CECI 90 GREY




CECI 90

CECI 90 2L

CECI 90 3L



CECI 90 2L GREY



CECI 120

CECI 160



CECI 120 GREY



CECI 90 3L GREY




CECI 160 GREY

BISSO/ANNA

BISSO/ANNA WHITE CLEAR E27, IP55

BISSO/ANNA BLACK CLEAR E27, IP55



BISSO/ANNA WHITE CLEAR



BISSO/ANNA BLACK CLEAR



SICHEM/ANNA BLACK CLEAR

SICHEM/ANNA

SICHEM/ANNA WHITE CLEAR E27, IP55

SICHEM/ANNA BLACK CLEAR E27, IP55



SICHEM/ANNA WHITE CLEAR

RICU BISSO/RUT

RICU BISSO/RUT 3L BLACK CLEAR E27, LED, 6W, 2700K, IP55

RICU BISSO/RUT 3L WHITE CLEAR E27, LED, 6W, 2700K, IP55


- S ovim artiklom dolazi led žarulja



RICU BISSO/RUT 3L BLACK CLEAR



RICU BISSO/RUT 3L WHITE CLEAR




BISSO/GOLIA

BISSO/GOLIA WHITE CLEAR E27, IP55

BISSO/GOLIA BLACK CLEAR E27, IP55

- S ovim artiklom dolazi led žarulja



BISSO/GOLIA WHITE CLEAR



BISSO/GOLIA BLACK CLEAR



RICU BISSO/GOLIA 3L
WHITE CLEAR




RICU BISSO/GOLIA 3L
BLACK CLEAR

RICU BISSO/GOLIA 3L

RICU BISSO/GOLIA 3L WHITE CLEAR E27, LED, 6W, 2700K, IP55

RICU BISSO/GOLIA 3L BLACK CLEAR E27, LED, 6W, 2700K, IP55


- S ovim artiklom dolazi led žarulja



Ø245

BISSO/G250

BISSO/G250 OPAL E27, IP55



BISSO/G250 OPAL

SICHEM/G250

SICHEM/G250 OPAL E27, IP55




SICHEM/G250

BISSO/MARY

BISSO/MARY BLACK/CLEAR E-27, IP55

BISSO/MARY WHITE/CLEAR E-27, IP55

- **Dimension:** 255x430mm



BISSO/MARY BLACK/CLEAR




BISSO/MARY WHITE/CLEAR

SICHEM/MARY

SICHEM/MARY BLACK/CLEAR E-27, IP55

SICHEM/MARY WHITE/CLEAR E-27, IP55

■ **Dimension:** 780x180mm



SICHEM/NOEMI


SICHEM/NOEMI BLACK E-27, LED, 15W, CCT, IP55

- **Dimension:** 1000x350mm
- **S ovim artiklom dolazi led žarulja**


OFIR/NOEMI

OFIR/NOEMI BLACK E-27, LED, 15W, CCT, IP55

- **Dimension:** 630x400mm
- **S ovim artiklom dolazi led žarulja**




OFIR/NOEMI BLACK



OFIR/TOBIA

OFIR/TOBIA BLACK E-27, LED, 15W, CCT, IP55

■ **Dimension:** 620x390mm



OFIR/TOBIA BLACK

SICHEM/TOBIA

SICHEM/TOBIA BLACK E-27, LED, 15W, CCT, IP55

■ **Dimension:** 1000x330mm



SICHEM/TOBIA BLACK




MIZAR/MARY BLACK

MIZAR/MARY

MIZAR/MARY BLACK E-27, LED

MIZAR/MARY WHITE E-27, LED

■ **Dimension:** 180x1080mm




MIZAR/MARY WHITE

MIZAR/RUT

MIZAR/RUT BLACK 6,5W, 2700K, IP55

MIZAR/RUT WHITE 6,5W, 2700K, IP55

- Dimension: 260x1150mm
- S ovim artiklom dolazi led žarulja



MIZAR/RUT BLACK

MIZAR/RUT WHITE

MIZAR/GOLIA


MIZAR/GOLIA BLACK 6,5W, 2700K, IP55

MIZAR/GOLIA WHITE 6,5W, 2700K, IP55

- Dimension: 230x1100mm
- S ovim artiklom dolazi led žarulja



MIZAR/GOLIA WHITE



MIZAR/GOLIA BLACK




MADE IN ITALY



TOP SELECTION PROJECT

IR Tuks

DIFFUSER




NOEMI

TOBIA


ELIA

POST TOP SYSTEM



OFIR SYSTEM 2L

ARON SYSTEM 2L




OFIR SYSTEM 3L

MOGUĆE KOMBINACIJE:

NEBO/NOEMI	POLE 2500
NEBO/OFIR NOEMI 2L	POLE 2500
NEBO/OFIR NOEMI 3L	POLE 2500
NEBO/TOBIA	POLE 2500
NEBO/OFIR TOBIA 2L	POLE 2500
NEBO/OFIR TOBIA 3L	POLE 2500
WALL ADAM/NOEMI	
WALL ADAM/TOBIA	
GIONA/ELIA	POLE 4000
GIONA/ARON ELIA 2L	POLE 4000
WALL ARON ELIA	
GIONA/ELIA	POLE 5000
GIONA/ARON ELIA 2L	POLE 5000

POST




NEBO 2500


GIONA 4000

GIONA 5000

WALL BRACKET



ADAM



ARON



ANTI CORROSION

NO MAINTENANCE



UV-RAYS STABILIZED



DOUBLE INSULATION




NOT AFFECTED BY CHEMICAL FERTILIZES



FULLY MODULAR Ø60mm

RESIN POST OF A SINGLE PIECE WITHOUT JOINTS


Stronger, safer and more durable




INNER METAL POLE STRUCTURE
Structural metal pole hot deep galvanized inside and outside by zinc bath immersion.

EXPANSE
High Density rigid polyurethane provides lightweight and durable cohesion between the inner metal post and the outer resin cover.

OUTER RESIN COVER
Outer coating of a single piece without joints made of shockproof resin material:
- Rust and corrosion-free
- Paste molded colors, UV stabilized
- Self-extinguishing on fire



■ Dimension: 350x530mm




NOEMI 50W HIGH POWER LED

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
E27 HIGH POWER LED 	50W	6550lm	100-240V 50/60 Hz	3000K


TOBIA



■ Dimension: 330x520mm




TOBIA 50W HIGH POWER LED

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
E27 HIGH POWER LED 	50W	6550lm	100-240V 50/60 Hz	3000K


ELIA




■ Dimension: 330x520mm



ELIA 60W HIGH POWER LED


LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
E27 HIGH POWER LED 	60W	7600lm	100-240V 50/60 Hz	3000K

ADAM WALL BRACKET




suggested diffuser:
NOEMI - TOBIA

ADAM WALL BRACKET



suggested diffuser:
ELIA


OFIR SYSTEM 2L



suggested diffuser:
NOEMI - TOBIA

Ø60


OFIR SYSTEM 3L



suggested diffuser:
NOEMI - TOBIA

Ø60

OFIR SYSTEM 2L





suggested diffuser:
ELIA



Ø60




EACH POST IS SUPPLIED WITH THE SUITABLE CAGE FOR FIXATION



NEBO

GIONA 4000

GIONA 5000



NEBO/NOEMI 50W 3000K





NEBO/OFIR NOEMI 2L
2x50W 3000K

WALL ADAM NOEMI
50W 3000K



NEBO/OFIR NOEMI 3L 3x50W 3000K



NEBO/TOBIA 50W 3000K




NEBO/OFIR TOBIA 2L
2x50W 3000k



NEBO/ OFIR TOBIA 3L
3x50W 3000K

WALL ADAM TOBIA
50W 3000K



GIONA/VELIA
60W 3000K




GIONA/ARON ELIA 2L
2x50W 3000K




WALL ARON ELIA
60W 3000K




DIFFUSER




REMO 400




BEPPE 400



REMO 500



BEPPE 500




VIVI 400


MOGUĆE KOMBINACIJE:

EKTOR/BEPPE 400	POLE 3000
EKTOR/BEPPE 400	POLE 4000
EKTOR/BEPPE 500	POLE 4000
EKTOR/BEPPE 500	POLE 5000
EKTOR/REMO 400	POLE 3000
EKTOR/REMO 400	POLE 4000
EKTOR/REMO 500	POLE 4000
EKTOR/REMO 500	POLE 5000
WALL MIDIPILAR/VIVI 400	
EKTOR/MIDIOILAR 1L VIVI 400	POLE 3000
EKTOR/MIDIOILAR 2L VIVI 400	POLE 3000
EKTOR/MIDIOILAR 1L VIVI 400	POLE 4000
EKTOR/MIDIOILAR 2L VIVI 400	POLE 4000
EKTOR/GIORGIO GREY 4XGX53 40W CCT	POLE 2500
EKTOR/GIORGIO BLACK 4XGX53 40W CCT	POLE 2500
EKTOR/BEPPE 400 GREY 4XGX53 50W 3000K	POLE 2500
EKTOR/BEPPE 400 BLACK 4XGX53 50W 3000K	POLE 2500

POST TOP SYSTEM



POST



EKTOR 3000

EKTOR 4000

EKTOR 5000

ADVANTAGES

REMO 400



ANTI CORROSION

NO MAINTENANCE



UV-RAYS STABILIZED



DOUBLE INSULATION



NOT AFFECTED BY CHEMICAL FERTILIZES



FULLY MODULAR Ø60mm

RESIN POST OF A SINGLE PIECE WITHOUT JOINTS


Stronger, safer and more durable



INNER METAL POLE STRUCTURE
Structural metal pole hot deep galvanized inside and outside by zinc bath immersion.


EXPANSE
High Density rigid polyurethane provides lightweight and durable cohesion between the inner metal post and the outer resin cover.

OUTER RESIN COVER
Outer coating of a single piece without joints made of shockproof resin material:
- Rust and corrosion-free
- Paste molded colors, UV stabilized
- Self-extinguishing on fire




LAMP INCLUDED
HIGH POWER
LED E27

■ Dimension: 480x715mm



E A T G


REMO 400 HIGH POWER LED

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
E27 HIGH POWER LED  Ø118	50W	6550lm	100-240V 50/60 Hz	3000K


BEPPE 400



■ Dimension: 480x680mm




BEPPE 50W HIGH POWER LED

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
E27 HIGH POWER LED  Ø118	50W	6550lm	100-240V 50/60 Hz	3000K


REMO 500



■ Dimension: 600x850mm




REMO 60W HIGH POWER LED

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
E27 HIGH POWER LED  Ø118	60W	7600lm	100-240V 50/60 Hz	3000K


BEPPE 500



▪ **Dimension:** 600x850mm




BEPPE 60W HIGH POWER LED

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
E27 HIGH POWER LED  Ø118	60W	7600lm	100-240V 50/60 Hz	3000K


VIVI 400




▪ **Dimension:** 480x420mm



VIVI 50W HIGH POWER LED

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
E27 HIGH POWER LED  Ø118	50W	6550lm	100-240V 50/60 Hz	3000K

EACH POST IS SUPPLIED WITH THE SUITABLE CAGE FOR FIXATION




EKTOR 3000


EKTOR 4000

EKTOR 5000


with door&box




with door&box



with door&box




MIDIPIRAR WALL BRACKET



suggested diffuser:
VIVI 400


MIDIPIRAR SYSTEM 1L



Ø60

suggested diffuser:
VIVI 400

MIDIPIRAR SYSTEM 2L



Ø60


suggested diffuser:
VIVI 400

EKTOR 2500 GIORGIO 4xGX53 10W 40W CCT



EKTOR/BEPPE 400
50W 3000K BLACK/GREY

EKTOR/BEPPE 500
60W 3000K



EKTOR 2500/
BEPPE 400
4xGX53
10W 40W CCT



EKTOR/REMO 500 60W
3000K



EKTOR/REMO 400
50W 3000K



EKTOR/MIDIPIILAR 1L VIVI 400 50W 3000K



EKTOR/MIDIPIILAR 2L VIVI 400
2x50W 3000K



WALL MIDIPIILAR/VIVI 400
50W 3000K



GX53 3W 



GX53 10W 



E-27 50W 



ŽARULJE

GX53 3W/CCT

GX53 7W/CCT

GX53 10W/CCT

R7S 7.5W/CCT

E-27 50W, 3000K

GX53 7W 



R7S 7,5W 



91211 E-27

91211 CCT

91211	GREY	15W, E27, Aluminium and PC diffuser	E	A T G
91211	WHITE	15W, E27, Aluminium and PC diffuser		
91211	GREY	LED CCT, Aluminium and PC diffuser	E	A T G
91211	WHITE	LED CCT, Aluminium and PC diffuser		

▪ **Dimension:** 175x145x100mm



91211 GREY



91211 WHITE



91218 E-27

91218 CCT

91218	GREY	18W, E27, Aluminium and PC diffuser	E	A T G
91218	WHITE	18W, E27, Aluminium and PC diffuser		
91218	GREY	LED CCT, Aluminium and PC diffuser	E	A T G
91218	WHITE	LED CCT, Aluminium and PC diffuser		

▪ **Dimension:** 290x145x100mm



91218 GREY



91218 WHITE



91215 E-27

91215 CCT

91215	GREY	18W, E27, Aluminium and PC diffuser	E A T G
91215	WHITE	18W, E27, Aluminium and PC diffuser	
91215	GREY	LED CCT, Aluminium and PC diffuser	E A T G
91215	WHITE	LED CCT, Aluminium and PC diffuser	

▪ **Dimension:** 290x145x100mm



91215 GREY



91215 WHITE



91217 E-27

91217 CCT

91217	GREY	18W, E27, Aluminium and PC diffuser	E A T G
91217	WHITE	18W, E27, Aluminium and PC diffuser	
91217	GREY	LED CCT, Aluminium and PC diffuser	E A T G
91217	WHITE	LED CCT, Aluminium and PC diffuser	

▪ **Dimension:** 290x145x100mm



91217 GREY



91217 WHITE



LED-BL-MY2S14XA1

- **Dimension:** Ø215x80mm

LED-BL-MT1S14XA1

- **Dimension:** 212x119x60,5mm

LED-BL-MY2S14XA2

- **Dimension:** Ø215x80mm

LED-BL-MY2S14DA1-B8 PIR SENSOR

- **Dimension:** Ø215x80mm

LED-BL-MT1S14DA1-B8-PIR SENSOR

- **Dimension:** 212x119x60,5mm

LED-BL-MY2S14DA2-B8 PIR SENSOR

- **Dimension:** Ø215x80mm

AC220-240V, 14W, 4000K, 1000Lm, IP54, 120°, 71,4 lm/W



LED-BL-MY2S14XA1



LED-BL-MT1S14XA1



LED-BL-MY2S14XA2



LED-BL-MY2S14DA1-B8 PIR
SENSOR



LED-BL-MT1S14DA1-B8 PIR
SENSOR



LED-BL-MY2S14DA2-B8 PIR
SENSOR

LED-BL-MT1S14XA1



LED-BL-MT1S14XA1	OVAL, WHITE	AC220-240V, 14W,4000K,1000lm, IP54
LED-BL-MT1S14XA1	OVAL, LIGHT GREY	AC220-240V, 14W,4000K,1000lm, IP54

▪ **Dimension:** 212*119*60.5mm



LED-BL-MT1S14XA1
WHITE



LED-BL-MT1S14XA1
LIGHT GREY



LED-BL-MY2S14XA1



LED-BL-MY2S14XA1	ROUND, WHITE	AC220-240V, 14W,4000K,1000lm, IP54
LED-BL-MY2S14XA1	ROUND, LIGHT GREY	AC220-240V, 14W,4000K,1000lm, IP54

▪ **Dimension:** Ø215*80mm



LED-BL-MY2S14XA1
LIGHT GREY

LED-BL-MY2S14XA2



LED-BL-MY2S14XA2	ROUND, HALF COVERED, WHITE	AC220-240V, 14W,4000K,1000lm, IP54
LED-BL-MY2S14XA2	ROUND, HALF COVERED LIGHT GREY	AC220-240V, 14W,4000K,1000lm, IP54

▪ **Dimension:** Ø215*80mm



LED-BL-MY2S14XA2 LIGHT GREY



LED-BL-MY2S14XA2 WHITE



LED-BL-MY2S14XA1
WHITE

LED-BL-HT1/2/3W14-C3



LED-BL-HT1W14-C3	OVAL, WHITE	AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT
LED-BL-HT2W14-C3	OVAL, WHITE	AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT
LED-BL-HT3W14-C3	OVAL, WHITE	AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT
LED-BL-HT1W14-C3	OVAL, BLACK	AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT
LED-BL-HT2W14-C3	OVAL, BLACK	AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT
LED-BL-HT3W14-C3	OVAL, BLACK	AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT

▪ **Dimension:** 204*107*57mm



LED-BL-HT1W14-C3 OVAL WHITE



LED-BL-HT1W14-C3 OVAL BLACK



LED-BL-HT2W14-C3 OVAL WHITE



LED-BL-HT2W14-C3 OVAL BLACK



LED-BL-HT3W14-C3 OVAL WHITE



LED-BL-HT3W14-C3 OVAL BLACK

LED-BL-HY1/2W14-C3



LED-BL-HY1W14-C3	ROUND WHITE	AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT
LED-BL-HY2W14-C3	ROUND, WHITE	AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT
LED-BL-HY1W14-C3	ROUND, BLACK	AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT
LED-BL-HY2W14-C3	ROUND, BLACK	AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT

▪ **Dimension:** 233*233*60.5mm



LED-BL-HY1W14-C3 ROUND WHITE



LED-BL-HY2W14-C3 ROUND WHITE



LED-BL-HY2W14-C3 ROUND BLACK





LED-BL-HY1W14-C3 ROUND BLACK



PRIMO

PRIMO WHITE	26W TC-D G24d-3	E-27 60W
PRIMO GRAPHITE	26W TC-D G24d-3	E-27 60W
PRIMO BLACK	26W TC-D G24d-3	

IK10  **IP65**   



PRIMO WHITE



PRIMO BLACK





PRIMO GRAPHITE

DUETT

DUETT WHITE	E-27 60W
DUETT GRAPHITE	E-27 60W
DUETT GRAPHITE	E-27 60W

IK10  **IP65**



DUETT WHITE



DUETT GRAPHITE



DUETT BLACK





TARDO

TARDO WHITE 26W TC-D G24d-3 E-27 60W

TARDO GRAPHITE E-27 60W

IK10  **IP65**



TARDO WHITE





TARDO GRAPHITE

DISCOS

DISCOS WHITE 2x26W TC-D G24d-3 E-27 60W

DISCOS GRAPHITE E-27 60W

IP65 **IK10** 



DISCOS WHITE





DISCOS GRAPHITE

CANTO

CANTO WHITE 2x26W TC-D G24d-3 E-27 60W

CANTO GRAPHITE 2x26W TC-D G24d-3 E-27 60W

IK10  **IP65**



CANTO WHITE



CANTO GRAPHITE

LINK

LINK WHITE 2x26W TC-D G24d-3 E-27 60W

LINK GRAPHITE 2x26W TC-D G24d-3 E-27 60W


IP65 IK10 




LINK WHITE



LINK GRAPHITE



Design: Hallvard Jakobsen



SIDEWALK

SIDEWALK WHITE 2x26W TC-D G24d-3 E-27 60W

SIDEWALK GRAPHITE E-27 60W



IP65 IK10 



SIDEWALK WHITE



SIDEWALK GRAPHITE



P2582-2

P2582-2 WHITE E27, 2*18W, IP54

P2582-2 DARK GREY E27, 2*18W, IP54

▪ **Dimension:** Ø300x91mm



P2582-2 WHITE



P2582-2 DARK GREY



SR26001



SR26001A

SR26001/SR26001A



SR26001 DARK GREY LED 12W, IP54, 4000K, 840lm

SR26001A DARK GREY LED 12W, IP54, 4000K, 840lm

▪ **Dimension:** Ø169x100mm

SR26002/SR26002A



SR26002 DARK GREY LED 12W, IP54, 4000K, 840lm

SR26002A DARK GREY LED 12W, IP54, 4000K, 840lm

▪ **Dimension:** 160x160x100mm



SR26002



SR26002A



XK1001, XK1002

XK1001 WHITE IP54, GU10

XK1001 ANTRACITE IP54, GU10

▪ **Dimension:** 85x85x66mm

XK1002 WHITE IP54, GU10

XK1002 ANTRACITE IP54, GU10

▪ **Dimension:** Ø90x62mm



XK1001 WHITE



XK1001 ANTRACITE



XK1002 WHITE



XK1002 ANTRACITE



SR2004D



SR2004S

SR2004D



SR2004D DARK GREY LED 10W, IP54, 3000K, 220-240V

▪ **Dimension:** Ø108x80mm

SR2004S



SR2004S DARK GREY LED 10W, IP54, 3000K, 220-240V

▪ **Dimension:** 108x108x80mm

CDR06077



CDR06077 ALU DARK GREY IP54, 240V, COB LED, 10W, 3000K

▪ **Dimension:** Ø82x128mm



CDR06077 ALU DARK GREY

CDR020401, CDR020402



CDR020401 DARK GREY 3000K, IP54, 240V, SMD LEDS, 10W, PC DIFFUSER

▪ **Dimension:** Ø200x45mm

CDR020402 DARK GREY 3000K, IP54, 240V, SMD LEDS, 10W, PC DIFFUSER

▪ **Dimension:** 200x200x45mm



CDR020401



CDR020402



WM001

WM001 DARK GREY ANTRACITE IP65, GU10 MAX 50W

WM001 WHITE IP65, GU10 MAX 50W

▪ **Dimension:** 108xØ63x95mm



WM001 DARK GREY ANTRACITE

WM001 WHITE



WM002

WM002 DARK GREY ANTRACITE IP65, GU10, 2xMAX 35W

WM002 WHITE IP65, GU10, 2xMAX 35W

▪ **Dimension:** 177xØ63x95mm




WM002 DARK GREY ANTRACITE

WM002 WHITE

CDR020451

CDR020451 ANTRACITE GREY IP65, 240V, GU10, MAX 35W

▪ 500mm long aluminium tube




CDR020451

CDR020204 CDR020204S




CDR020204 ALU DARK GREY IP54, 240V, 2x6W, 3000K

CDR020204S ALU DARK GREY IP54, 240V, 6W, 3000K



CDR020204




CDR020204S

WM051

WM051 DARK GREY ANTRACITE IP54, GU10, MAX 50W

WM051 WHITE IP54, GU10, MAX 50W



WM051 DARK GREY ANTRACITE




WM051 WHITE

WM052

WM052 DARK GREY ANTRACITE IP54, GU10, 2xMAX 35W

WM052 WHITE IP54, GU10, 2xMAX 35W



WM052 DARK GREY ANTRACITE




WM052 WHITE



WM053

WM053 DARK GREY ANTRACITE IP54, GU10, 2xMAX 35W

WM053 WHITE IP54, GU10, 2xMAX 35W



WM053 DARK GREY ANTRACITE




WM053 WHITE

WM055

WM055 DARK GREY ANTRACITE IP54, GU10, 2xMAX 35W

WM055 WHITE IP54, GU10, 2xMAX 35W



WM055 DARK GREY ANTRACITE




WM055 WHITE



WM042

WM042 DARK GREY ANTRACITE IP54, GU10, MAX 50W

WM042 MATT WHITE WHITE IP54, GU10, MAX 50W



WM042 DARK GREY ANTRACITE





WM042 WHITE

WM043

WM043 DARK GREY ANTRACITE IP54, GU10, 2xMAX 35W

WM043 MATT WHITE WHITE IP54, GU10, 2xMAX 35W



WM043 DARK GREY ANTRACITE



WM043 WHITE



SR60048

SR60048 BLACK E27

- **Dimension:** Ø150x160mm, 600mm CHAIN



SR60048 BLACK

CDR020291

CDR020291 BLACK IP44, 240V, E27, MAX 60W

- **Dimension:** 110x125x235mm
- STAINLESS STEEL BODY IN POWDER COATED FINISH
- GLASS



CDR020291

SR60049

SR60049 BLACK E27

- **Dimension:** Ø110x400x145mm



SR60049 BLACK

SR60159

SR60159 BLACK E27

- **Dimension:** Ø90x250x120mm



SR60159 BLACK

SR60047

SR60047 BLACK E27

- **Dimension:** Ø200x190x250mm



SR60047 BLACK

CDR020261



CDR020261 ALU DARK GREY IP54, 240V, SMD LEDS, 2x5W, 3000K

▪ **Dimension:** 195x110x54mm



CDR020261 ALU DARK GREY

SR9401



SR9401 DARK GREY IP65, LED 2x3W, 3000K

▪ **Dimension:** 178x28x90mm



SR9401

SR2304S



SR2304S DARK GREY IP65, LED 6W, 3000K

▪ **Dimension:** 140x140x50,5mm



SR2304S




CDR020021



CDR020021 BLACK IP54, 240V, COB LED, 6W

CDR020021 WHITE IP54, 240V, COB LED, 6W

- DIE CASTING ALUMINIUM BODY IN POWDER COATED FINISH
- TEMPERED FROSTED GLASS
- TUV APPROVED LED DRIVER, TRI-CCT OF 3000K, 4000K AND 5000K
- WHITE BOX PACKAGE-PRODUCT LABEL
- **Dimension:** 41x143mmx180mm



CDR020021 BLACK



CDR020021 WHITE


CDR020022



CDR020022 BLACK IP54, 240V, COB LED, 2x6W

CDR020022 WHITE IP54, 240V, COB LED, 2x6W

- DIE CASTING ALUMINIUM BODY IN POWDER COATED FINISH
- TEMPERED FROSTED GLASS
- TUV APPROVED LED DRIVER, TRI-CCT OF 3000K, 4000K AND 5000K
- WHITE BOX PACKAGE-PRODUCT LABEL
- **Dimension:** 41x143mmx230mm



CDR020022 BLACK



CDR020022 WHITE




CDR020421



CDR020421 BLACK IP54, 240V, SMD LEDS, 3W

CDR020421 WHITE IP54, 240V, SMD LEDS, 3W

- DIE CASTING ALUMINIUM BODY IN POWDER COATED FINISH
- PC
- TUV APPROVED LED DRIVER
- WHITE BOX PACKAGE-PRODUCT LABEL
- **Dimension:** 25x90mmx110mm



CDR020421 BLACK



CDR020421 WHITE



CDR020411 BLACK



CDR020411 WHITE


CDR020411



CDR020411 BLACK IP54, 240V, SMD LEDS, 2x3W

CDR020411 WHITE IP54, 240V, SMD LEDS, 2x3W

- DIE CASTING ALUMINIUM BODY IN POWDER COATED FINISH
- PC
- TUV APPROVED LED DRIVER
- WHITE BOX PACKAGE-PRODUCT LABEL
- **Dimension:** 25x90mmx110mm




CDR020441



CDR020441 BLACK IP54, 240V, SMD LEDS, 5W

CDR020441 WHITE IP54, 240V, SMD LEDS, 5W

- DIE CASTING ALUMINIUM BODY IN POWDER COATED FINISH
- PC
- TUV APPROVED LED DRIVER
- WHITE BOX PACKAGE-PRODUCT LABEL
- **Dimension:** 28x85mmx170mm



CDR020441 BLACK



CDR020441 WHITE


CDR020431




CDR020431 BLACK IP54, 240V, SMD LEDS, 2x5W

CDR020431 WHITE IP54, 240V, SMD LEDS, 2x5W

- DIE CASTING ALUMINIUM BODY IN POWDER COATED FINISH
- PC
- TUV APPROVED LED DRIVER
- WHITE BOX PACKAGE-PRODUCT LABEL
- **Dimension:** 28x85mmx170mm



CDR020431 BLACK



CDR020431 WHITE



LED 90002D GREY



LED 90002D MATT WHITE

LED 90002D



LED 90002D GREY 2x3W, 100-240V IP54, 3000K

LED 90002D MATT WHITE 2x3W, 100-240V IP54, 3000K

▪ **Dimension:** 80*80*80mm

JR701A



JR701A GREY 2x3W, 100-240V IP65, 3000K

▪ **Dimension:** 100*100*93mm



JR701A GREY

JR701B



JR701B GREY 4x3W, 100-240V IP65, 3000K

▪ **Dimension:** 100*100*94mm



JR701B GREY

LF-372528S



LF-372528S GREY 5W, 220-240V, IP54, 3000K

LF-372528S MATT WHITE 5W, 220-240V, IP54, 3000K

▪ **Dimension:** 160*65*80mm



LF-372528S MATT WHITE



LF-372528S GREY

SR170



SR170 DARK GREY ANTRACITE IP54, LED 230V, 6W, 3000K, Aluminium

SR170 WHITE IP54, LED 230V, 6W, 3000K, Aluminium

▪ **Dimension:** 130x30x60mm



SR170 DARK GREY ANTRACITE



SR170 WHITE

SR171



SR171 DARK GREY ANTRACITE IP54, LED 230V, 12W, 3000K, Aluminium

SR171 WHITE IP54, LED 230V, 12W, 3000K, Aluminium

▪ **Dimension:** 220x30x70mm



SR171 DARK GREY ANTRACITE



SR171 WHITE



SR1601L DARK GREY ANTRACITE



SR1601L WHITE

SR1601L



SR1601L DARK GREY ANTRACITE IP54, LED 230V, 6W, 3000K, Aluminium

SR1601L WHITE IP54, LED 230V, 6W, 3000K, Aluminium

▪ **Dimension:** 170x60x70mm

SR181



SR181 ANTRACITE IP54, AC220-240V, 3,5W, 3000K

SR181 WHITE IP54, AC220-240V, 3,5W, 3000K

▪ **Dimension:** 130x55x30mm



SR181 WHITE



SR181 ANTRACITE

SR8302



SR8302 ANTRACITE GREY ABS BODY, ALUMINIUM COVER, 220-240V, 2W, IP54, 3000K

SR8302 MATT WHITE ABS BODY, ALUMINIUM COVER, 220-240V, 2W, IP54, 3000K

- **Dimension:** 90x90x60mm
- **Dolazi s kutijom za ugradnju**



SR8302 ANTRACITE GREY



SR8302 MATT WHITE



SR8301A ANTRACITE GREY

SR8301A



SR8301A ANTRACITE GREY ABS BODY, ALUMINIUM COVER, 220-240V, 1.5W, 120lm, IP54, 3000K

SR8301A MATT WHITE ABS BODY, ALUMINIUM COVER, 220-240V, 1.5W, 120lm, IP54, 3000K

- **Dimension:** 140x78x45mm
- **Ugradnja u kutiju 4 modula**



SR8301A MATT WHITE

SR8301B



SR8301B ANTRACITE GREY ABS BODY, ALUMINIUM COVER, 220-240V, 1.5W, 120lm, IP54, 3000K

SR8301B MATT WHITE ABS BODY, ALUMINIUM COVER, 220-240V, 1.5W, 120lm, IP54, 3000K

- **Dimension:** 140x78x45mm
- **Ugradnja u kutiju 4 modula**



SR8301B
ANTRACITE GREY



SR8301B
MATT WHITE

P1101



P1101	SILVER SIVA	230V/AC, IP44 CLAS II, 100Lm, 3014 LED 20 PCS, 1.5W, CCT
P1101	ANTRACIT SIVA	230V/AC, IP44 CLAS II, 100Lm, 3014 LED 20 PCS, 4000K, 1.5W
P1101	MAT BIJELA	230V/AC, IP44 CLAS II, 100Lm, 3014 LED 20 PCS, 1.5W, CCT

- **Dimension:** Ø150x27mm
- **Material:** PC + ABS & PC diffuse



P1101 SILVER SIVA



P1101 ANTRACIT SIVA



P1101 MAT BIJELA

P1201



P1201	SILVER SIVA	230V/AC, IP44 CLAS II, 80Lm, 3014 LED 16 PCS, 1.5W, CCT
P1201	ANTRACIT SIVA	230V/AC, IP44 CLAS II, 80Lm, 3014 LED 16 PCS, 1.5W, CCT
P1201	MAT BIJELA	230V/AC, IP44 CLAS II, 80Lm, 3014 LED 16 PCS, 1.5W, CCT

- **Dimension:** 125x125x27mm
- **Material:** PC + ABS & PC diffuser



P1201 SILVER SIVA



P1201 ANTRACIT SIVA



P1201 MAT BIJELA




P1502



P1502	SILVER SIVA	230V/AC, IP44 CLAS II, 160Lm, 3014 LED 35 PCS, CCT, 2W
P1502	ANTRACIT SIVA	230V/AC, IP44 CLAS II, 160Lm, 3014 LED 35 PCS, CCT, 2W
P1502	MAT BIJELA	230V/AC, IP44 CLAS II, 160Lm, 3014 LED 35 PCS, CCT, 2W

- **Dimension:** 230x80x27mm
- **Material:** PC + ABS & PC diffuser



P1502 SILVER SIVA



P1502 ANTRACIT SIVA



P1502 MAT BIJELA

P1501



P1501	ANTRACITE	230V, 3000K/CCT, 2W, 160lm
P1501	WHITE	230V, CCT, 2W, 160lm

- **Dimension:** 230x80x27mm



P1501 ANTRACITE



P1501 WHITE

LED-IP65-SMD-SPOT LIGHT

LED-IP65-SMD-SPOT LIGHT 3000K

LED-IP65-SMD-SPOT LIGHT 4000K

- **Dimension:** Ø90x50mm RUPA ZA BUŠENJE: Ø70mm



LED-IP65-SMD SPOT LIGHT

CDR040027 S/S316+ALU

CDR040027 S/S316+ALU IP66, 240V, GU10, MAX 35W

- **Dimension:** Ø120x140mm



CDR040027 S/S316+ALU

WM075

WM075 MAT WHITE GU10, IP65

WM075 DARK GREY/ANTRACITE GU10, IP65

- **Dimension:** Ø63x108mm



WM075 MAT WHITE



WM075 DARK GREY/
ANTRACITE



GL11602, GL11604, GL11607



GL11602	ANTRACITE GREY	LED 6W, IP54, 4000K
▪ Dimension: 125x800mm		
GL11604	ANTRACITE GREY	LED 6W, IP54, 4000K
▪ Dimension: 170x200mm		
GL11607	ANTRACITE GREY	LED 6W, IP54, 4000K
▪ Dimension: 125x500mm		



GL11604



GL11607



GL11602

GL11206, GL11204, GL11205



GL11206	ANTRACITE GREY	LED 6W, IP54, 4000K
▪ Dimension: 170x200mm		
GL11204	ANTRACITE GREY	LED 6W, IP54, 4000K
▪ Dimension: 125x500mm		
GL11205	ANTRACITE GREY	LED 6W, IP54, 4000K
▪ Dimension: 125x800mm		



GL11206



GL11204



GL11205

GL12401, GL12402, GL12403, GL12404

GL12401	ANTRACITE GREY	E27, MAX 60W, IP54
■ Dimension: 120x120x300mm		
GL12402	ANTRACITE GREY	E27, MAX 60W, IP54
■ Dimension: 120x120x500mm		
GL12403	ANTRACITE GREY	E27, MAX 60W, IP54
■ Dimension: 120x120x800mm		
GL12404	ANTRACITE GREY	E27, MAX 60W, IP54
■ Dimension: 120x120x250mm		



GL12404



GL12401



GL12402



GL12403



GL11307, GL11306, GL11305

GL11307 ANTRACITE GREY E27, 23W MAX, IP54

▪ **Dimension:** 170x200mm

GL11306 ANTRACITE GREY E27, 23W MAX, IP54

▪ **Dimension:** 125x800mm

GL11305 ANTRACITE GREY E27, 23W MAX, IP54

▪ **Dimension:** 125x500mm



GL11307



GL11305



GL11306

GL11402, GL11403, GL11404

GL11402 ANTRACITE GREY E27, 23W MAX, IP54

▪ **Dimension:** 175x500mm

GL11403 ANTRACITE GREY E27, 23W MAX, IP54

▪ **Dimension:** 175x800mm

GL11404 ANTRACITE GREY E27, 23W MAX, IP54

▪ **Dimension:** 170x200mm



GL11404



GL11402



GL11403



LED-FL1A



LED-FL1A10Y AC220-240V, 10W, 4000K, 900lm, DF>0.5, IP65

LED-FL1A20Y AC220-240V, 20W, 4000K, 1800lm, DF>0.5, IP65

- **Dimension:** š=135mm v=105mm d=50mm

LED-FL1A30Y AC220-240V, 30W, 4000K, 2700lm, DF>0.5, IP65

- **Dimension:** š=175mm v=140mm d=60mm

LED-FL1A50Y AC220-240V, 50W, 4000K, 4500lm, DF>0.5, IP65

- **Dimension:** š=200mm v=160mm d=60mm



LED-BLS-FL-10W



LED-BLS-FL-20W



LED-BLS-FL-30W



LED-BLS-FL-50W

ST61



ST61 220-240V/AC, 30W, 50/60Hz, IP65

- **Dimension:** š=200mm v=230mm d=150mm



ST61

LED-FL1A-S1 SENSOR



LED-FL1A10Y-S1 AC220-240V, 10W, 4000K, 900lm, DF>0.5, IP54

- **WITH SENSOR**
- **Dimension:** š=120mm v=130mm d=60mm

LED-FL1A20Y-S1 AC220-240V, 20W, 4000K, 1800lm, DF>0.5, IP54

- **WITH SENSOR**
- **Dimension:** š=135mm v=140mm d=60mm

LED-FL1A30Y-S1 AC220-240V, 30W, 4000K, 2700lm, DF>0.5, IP54

- **WITH SENSOR**
- **Dimension:** š=175mm v=175mm d=60mm



LED-BLS-FL-10W-PIR



LED-BLS-FL-20W-PIR



LED-BLS-FL-30W-PIR

LED-BLS-FL

LED-BLS-FL 10W 4000K, 800lm, IP65, Led qty:15, IP65

- **Dimension:** 115x106x35mm

LED-BLS-FL 20W 4000K, 1600lm, IP65, Led qty:28, IP65

- **Dimension:** 145x127x35mm

LED-BLS-FL 30W 4000K, 2400lm, IP65, Led qty:42, IP65

- **Dimension:** 185x175x40mm

LED-BLS-FL 50W 4000K, 4000lm, IP65, Led qty:56, IP65

- **Dimension:** 210x203x45mm

TUV CE, RoHS, LED Floodlight with glass surface,
Die-cast aluminium hosting, Tempered glass
with H05RN-3G 1.00mm² rubble cable, 15cm

- CRI (Ra): 80, Lm/W:80, LED SMD2835, Beam angle: 120°



LED-BLS-FL-10W



LED-BLS-FL-20W



LED-BLS-FL-30W



LED-BLS-FL-50W

LED-BLS-FL-PIR

LED-BLS-FL 10W PIR 4000K, 800lm, IP65, Led qty:15, IP65

- **Dimension:** 119x158x43mm

LED-BLS-FL 20W PIR 4000K, 1600lm, IP65, Led qty:28, IP65

- **Dimension:** 146x173x44mm

LED-BLS-FL 30W PIR 4000K, 2400lm, IP65, Led qty:42, IP65

- **Dimension:** 185x197x45mm

LED-BLS-FL 50W PIR 4000K, 4000lm, IP65, Led qty:56, IP65

- **Dimension:** 207x228x55mm

TUV CE, RoHS, LED Floodlight with glass surface,
Die-cast aluminium hosting, Tempered glass
with H05RN-3G 1.00mm² rubble cable, 15cm

- CRI (Ra): 80, Lm/W:80, LED SMD2835, Beam angle: 120°



LED-BLS-FL-10W-PIR



LED-BLS-FL-20W-PIR



LED-BLS-FL-30W-PIR



LED-BLS-FL-50W-PIR

NOVO U DOLASKU 2024!

LED-TBE



TBE10WSX IP65, 10W, 4000K, 1000lm, AC220-240V

- **Dimension:** 101x95x21mm

TBE20WSX IP65, 20W, 4000K, 2000lm, AC220-240V

- **Dimension:** 122x114x21mm

TBE30WSX IP65, 30W, 4000K, 3000lm, AC220-240V

- **Dimension:** 144x129x25mm

TBE50WSX IP65, 50W, 4000K, 5000lm, AC220-240V

- **Dimension:** 184x160x25mm

- CRI (Ra): 80, Lm/W:100, LED SMD2835, Beam angle: 110°
- CE, RoHS, ERP
LED Floodlight
Die-cast aluminum housing+tempered glass diffusor
With H05RN-F 3G 1.00mm² rubber cable, 15cm



TBE10WSX



TBE20WSX



TBE30WSX



TBE50WSX



TBE10WSX-B17



TBE20WSX-B17



TBE30WSX-B17



TBE50WSX-B17

LED-TBE-PIR



TBE10WSX-B17 IP65, 10W, 4000K, 1000lm, AC220-240V

- **Dimension:** 101x116x47mm

TBE20WSX-B17 IP65, 20W, 4000K, 2000lm, AC220-240V

- **Dimension:** 122x131x47mm

TBE30WSX-B17 IP65, 30W, 4000K, 3000lm, AC220-240V

- **Dimension:** 144x184x47mm

TBE50WSX-B17 IP65, 50W, 4000K, 5000lm, AC220-240V

- **Dimension:** 184x215x47mm

- CRI (Ra): 80, Lm/W:100, LED SMD2835, Beam angle: 110°
- with PIR sensor, detection distance 4-10m
duty time 10s-10min, 10-2000lx adjustable

SD-F012-SMD



SD-F012-SMD-50W 4000K, 120/140lm/Wlm, 120°, SMD5730 Epistar, 85-265V/50-60Hz

- **Dimension:** 250x210x60mm

SD-F012-SMD-100W 4000K, 120/140lm/Wlm, 120°, SMD5730 Epistar, 85-265V/50-60Hz

- **Dimension:** 295x255x80mm





SD-F012-SMD-150W 4000K, 120/140lm/Wlm, 120°, SMD5730 Epistar, 85-265V/50-60Hz

- **Dimension:** 360x310x85mm

SD-F012-SMD-200W 4000K, 120/140lm/Wlm, 120°, SMD5730 Epistar, 85-265V/50-60Hz



LED-WORK LIGHT

LED-WORK LIGHT-BL2S50A1-E1	AC220-240V, 50W, 4000K, 4000lm, PF>0.9	
LED-WORK LIGHT-BL2S50A1-E2	AC220-240V, 2x50W, 4000K, 2x4000lm, PF>0.9	
LED WORK LIGHT-TBC220SX-D5-AC230V-20W	20W-4000K-2000Lm-DF>0.7-IP65	
<ul style="list-style-type: none"> ▪ Dimension: 200x226x54mm 		
LED WORK LIGHT-TBC250SX-D5-AC230V-50W	50W-4000K-5000Lm-DF>0.9-IP65	
<ul style="list-style-type: none"> ▪ Dimension: 255x279x54mm 		



LED-WORK LIGHT-BL2S50A1-E1



LED-WORK LIGHT-BL2S50A1-E2



LED WORK LIGHT 20W



LED WORK LIGHT 50W



LED-CL8 ROUND



LED-CL8 SQUARE

LED-CL8

LED-CL8-D220-AC220-240V-12W-4000K-1080Lm-ROUND-IP44

▪ **Dimension:** Ø220x42mm



LED-CL8-D280-AC220-240V-18W-4000K-1500Lm-ROUND-IP44

▪ **Dimension:** Ø280x42mm



LED-CL8-D330-AC220-240V-30W-4000K-2700Lm-ROUND-IP44

▪ **Dimension:** Ø330x42mm



LED-CL8-D220-AC220-240V-12W-4000K-1080Lm-SQUARE-IP44

▪ **Dimension:** 220x220x42mm



LED-CL8-D280-AC220-240V-18W-4000K-1620Lm-SQUARE-IP44

▪ **Dimension:** 280x280x42mm



LED-FLOODLIGHT RGB

LED-FL1A10Y-AC220-240V-10W-RGB-IP65

▪ **Dimension:** 120x90x50mm

LED-FL1A30Y-AC220-240V-30W-RGB-IP65

▪ **Dimension:** 135x105x50mm



SD-ST008

SD-ST008-40W 220/240V, PF: >0.9, 4000K, 80x140°, IP65

▪ **Dimension:** 350x115x52mm

SD-ST008-60W 220/240V, PF: >0.9, 4000K, 80x140°, IP65

▪ **Dimension:** 430x150x62mm

SD-ST008-90W 220/240V, PF: >0.9, 4000K, 80x140°, IP65

▪ **Dimension:** 450x150x62mm

SD-ST008-120W 220/240V, PF: >0.9, 4000K, 80x140°, IP65

▪ **Dimension:** 565x180x72mm



SD-ST008-40W



SD-ST008-60W



SD-ST008-120W



SD-ST008-90W



TANGO BLACK IP66 0,8W

TANGO BLACK IP66 0,8W WALL LED LIGHT

- **Dimension:** 73x73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO BLACK IP66 0,8W

TANGO SHORT BLACK IP66 0,8W

TANGO SHORT BLACK IP66 0,8W WALL LED LIGHT

- **Dimension:** 73x73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO SHORT BLACK IP66 0,8W

RUEDA BLACK IP66 0,8W

RUEDA BLACK IP66 0,8W WALL LED LIGHT

- **Dimension:** Ø73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



RUEDA BLACK IP66 0,8W

RUEDA SHORT BLACK IP66 0,8W

RUEDA SHORT BLACK IP66 0,8W WALL LED LIGHT

- **Dimension:** Ø73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



RUEDA SHORT BLACK IP66 0,8W

TANGO WHITE IP66 0,8W

TANGO WHITE IP66 0,8W WALL LED LIGHT

- **Dimension:** 73x73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO WHITE IP66 0,8W

TANGO SHORT WHITE IP66 0,8W

TANGO SHORT WHITE IP66 0,8W WALL LED LIGHT

- **Dimension:** 73x73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO SHORT WHITE IP66 0,8W

RUEDA WHITE IP66 0,8W

RUEDA WHITE IP66 0,8W WALL LED LIGHT

- **Dimension:** Ø73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



RUEDA WHITE IP66 0,8W

RUEDA SHORT WHITE IP66 0,8W

RUEDA SHORT WHITE IP66 0,8W WALL LED LIGHT

- **Dimension:** Ø73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



RUEDA SHORT WHITE IP66 0,8W

TANGO STAINLESS STEEL 0,8W

TANGO STAINLESS STEEL 0,8W WALL LED LIGHT

- **Dimension:** 73x73x10,5mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO STAINLESS STEEL 0,8W

TANGO SHORT STAINLESS STEEL IP56 0,8W

TANGO SHORT STAINLESS STEEL IP56 0,8W WALL LED LIGHT

- **Dimension:** 73X73X10,5mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO SHORT STAINLESS
STEEL IP56 0,8W

RUEDA STAINLESS STEEL 0,8W

TANGO STAINLESS STEEL 0,8W WALL LED LIGHT

- **Dimension:** Ø73X10,5mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO STAINLESS STEEL 0,8W

RUEDA SHORT STAINLESS STEEL IP56 0,8W

RUEDA SHORT STAINLESS STEEL IP56 0,8W WALL LED LIGHT

- **Dimension:** Ø73X10,5mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



RUEDA SHORT STAINLESS
STEEL IP65 0,8W

TANGO BLACK IP66 10V WITH PIR SENSOR

TANGO BLACK IP66 10V

WALL LED LIGHT

- **Dimension:** 73x73mm
- **COLOR (K):** 3000K

▪ Ø60mm



TANGO BLACK IP66 10V
WITH PIR SENSOR

RUEDA BLACK IP66 10V WITH PIR SENSOR

TANGO SHORT WHITE IP66 0,8W

WALL LED LIGHT

- **Dimension:** Ø73mm
- **COLOR (K):** 3000K

▪ Ø60mm



RUEDA BLACK IP66 10V
WITH PIR SENSOR

TANGO S/S IP66 10V WITH PIR SENSOR

TANGO S/S IP66 10V

WALL LED LIGHT

- **Dimension:** 73x73mm
- **COLOR (K):** 3000K

▪ Ø60mm



TANGO S/S IP66 10V
WITH PIR SENSOR

RUEDA S/S IP66 10V WITH PIR SENSOR

RUEDA S/S IP66 10V

WALL LED LIGHT

- **Dimension:** Ø73mm
- **COLOR (K):** 3000K

▪ Ø60mm



RUEDA S/S IP66 10V
WITH PIR SENSOR

TL-02 PRO

TL-02 PRO RUST 2.2W, 190Lm, 2700K, Ra98, IP44

- **Including:** BLACK WIRELESS CABLE
WHITE USB CABLE
WHITE EU PLUG (5V 2A)

TL-02 PRO BLACK 2.2W, 190Lm, 2700K, Ra98, IP44

- **Including:** BLACK WIRELESS CHARGER
BLACK USB CABLE
BLACK EU PLUG (5V 2A)

TL-02 PRO WHITE 2.2W, 190Lm, 2700K, Ra98, IP44

- **Including:** BLACK WIRELESS CHARGER
WHITE USB CABLE
WHITE EU PLUG (5V 2A)

- **Dimension:** 380xØ110mm

WIRELESS CHARGER



TL-02 PRO RUST



TL-02 PRO BLACK



TL-02 PRO WHITE

TL-15 PRO

TL-15 PRO CHAMPAGNE 1.9W, 130Lm, 2700K, Ra98, IP44

- **Including:** BLACK WIRELESS CABLE
WHITE USB CABLE
WHITE EU PLUG (5V 2A)

TL-15 PRO GREY 1.9W, 130Lm, 2700K, Ra98, IP44

- **Including:** BLACK WIRELESS CHARGER
WHITE USB CABLE
WHITE EU PLUG (5V 2A)

- **Dimension:** 280xØ100mm

COVER FOR TL-15 SMOKY WAVE

COVER FOR TL-15 CLEAR WAVE



TL-15 PRO CHAMPAGNE

TL-15 PRO GREY



COVER FOR TL-15 SMOKY WAVE



COVER FOR TL-15 CLEAR

WIRELESS CHARGER



TL-17 PRO

TL-17 PRO BLACK 1.5W, 100Lm, 2700K, Ra95, IP44

▪ **Including:** BLACK WIRELESS CHARGER
BLACK USB CABLE
BLACK EU PLUG (5V 2A)

▪ **Dimension:** 255xØ160mm



TL-17 PRO BLACK

TL-14 PRO

TL-14 PRO TERRACOTTA 1.9W, 120Lm, 2700K, Ra98, IP44

TL-14 PRO TURQUOISE 1.9W, 120Lm, 2700K, Ra98, IP44

▪ **Including:** BLACK WIRELESS CHARGER
BLACK USB CABLE
BLACK EU PLUG (5V 2A)

▪ **Dimension:** 275xØ120mm



TL-14 PRO TERRACOTTA



TL-14 PRO TURQUOISE





Ø 18/36/58W

- Ø 1x18W** ■ **Dimension:** L= 662, B= 81, H= 93mm

- Ø 2x18W** ■ **Dimension:** L= 662, B= 130, H= 93mm


- Ø 1x36W** ■ **Dimension:** L= 1270, B= 81, H= 93mm

- Ø 2x36W** ■ **Dimension:** L= 1270, B= 130, H= 93mm

- Ø 1x58W** ■ **Dimension:** L= 1562, B= 81, H= 93mm

- Ø 2x58W** ■ **Dimension:** L= 1562, B= 130, H= 93mm

CE **IP65**



- **PAŽNJA!**
Kućiče je namijenjeno isključivo led cijevima s priključnim kontaktima na jednoj strani!



METALNA KOPČA ZA
VODOTIJESNU
SVJETILJKU



LED BATTEN LAMP

LED BATTEN-004-0.6m AC220-240V, 18W, 4000K, 1440lm, IP65

- **Dimension:** 65x75x600mm



LED-CL3-CIRCULAR, PANIK MODUL, *IP44

LED-CL3-CIRCULAR WHITE AC220-240V, 24W, 4000K, 1920lm, EM, IP44, PANIK MODUL

- **Dimension:** Ø280x60mm



LED-CL3-CIRCULAR, PANIK MODUL



SOLARNE

LD-SSL-8W-TALENT	IP65	3000K, solar led security light, 8W, 950Lm, black housing with transparent optical lens
LD-SWL-6W-BRICK	IP65	3000K, solar wall light, 6W, 800Lm, black housing
LSD-SWL-1.5W PLUS-BUTTERFLY	IP65	Front 6000K+Back 3000K, 1.5W, 220Lm, solar led wall light, white housing
LSD-SWL-4W PLUS-BUTTERFLY	IP65	Front 6000K+Back 3000K, 4W, 400Lm, solar led wall light, white housing
LD-SFL-5W-LEADPAD	IP65	6000K, 5W, 500Lm, solar led floodlight, black housing
LSD-SLED-SOLAR FLOODLIGHT-8C58-A	IP65	4000K, 8W, 800Lm, solar led floodlight, black housing



LD-SSL-8W-TALENT



LD-SWL-6W-BRICK



LSD-SWL-1.5W PLUS-BUTTERFLY



LD-SFL-5W-LEADPAD



LSD-SWL-4W PLUS-BUTTERFLY





LSD-SLED-SOLAR FLOODLIGHT-8C58-A

UNO

UNO WHITE E-27

UNO GRAPHITE E-27

IP65 IK10 



UNO GRAPHITE


UNO WHITE

SPIDER

SPIDER WHITE 611676A 2xE27

SPIDER GRAPHITE 611676A 2xE27

IP64 IK10 



SPIDER WHITE



SPIDER GRAPHITE

SPINET

SPINET WHITE 611671A 2xE27

SPINET GRAPHITE 611671A 2xE27

IP64 IK10 



SPINET GRAPHITE

SPINET WHITE

ARTIKLI DOSTUPNI DO ISTEKA ZALIHA


TRIO

TRIO WHITE 611520 E27

TRIO GRAPHITE 623520 E27

TRIO GALVANIZED 691520 E27

IK10  **IP65**



TRIO WHITE



TRIO GRAPHITE




TRIO GALVANIZED

ALTO

ALTO WHITE 611370A 2xE27

ALTO GRAPHITE 611370A 2xE27

IK10  **IP65**



ALTO WHITE



ALTO GRAPHITE


LARGO

LARGO WHITE 611560 E27

LARGO GRAPHITE 623560 E27

LARGO GALVANIZED 691560 E27

CE  **IK10**  **IP65**



LARGO WHITE



LARGO GALVANIZED



LARGO GRAPHITE

SR60039

SR60039 BLACK GU10

- **Dimension:** Ø115x100x150mm



SR16011T, SR16011F




SR16011T ANTRACITE LED 2x2W, 4000K, UP10° down 10°, 2x2W, IP54

- **Dimension:** 110x110mm

SR16011F ANTRACITE LED, 4000K, 4x10°, 4x1W, IP54

- **Dimension:** 100x100mm



ARTIKLI DOSTUPNI DO ISTEKA ZALIHA

IR Tuks

WL29-DG

WL29-DG DARK GREY E27, IP54

- **Dimension:** Ø230x150x260mm



LF-372212A-1

LF-372212A-1 GREY 6W 220-240V IP54 3000K

LF-372212A-1 MATT WHITE 6W 220-240V IP54 3000K

- **Dimension:** 120*120*125mm



LF-372212A-2

LF-372212A-2 GREY 2*6W 220-240V IP54 3000K

LF-372212A-2 MATT WHITE 2*6W 220-240V IP54 3000K

- **Dimension:** 258*84*35mm



JR802A

JR802A GREY 6W, 220-240V, IP65, 3000K

- **Dimension:** Ø120*140*80mm




BALLAD

BALLAD WHITE E-27 60W

BALLAD SILVER E-27 60W

BALLAD GRAPHITE E-27 60W

IP64 IK10 



3703A/B/C

3703A BLACK E-27, 150W MAX

3703B BLACK E-27, 150W MAX

3703C BLACK E-27, 150W MAX

▪ **Dimension:** Ø254x230x300mm



P6001A

P6001A MATT SILVER 1,5W, 230V, IP65

P6001A ANTRACITE GREY 1,5W, 230V, IP65

▪ **Dimension:** Ø75mm



3011

3011 WHITE 12V, 20W, 50Hz, IP54, G4

3011 BLACK 12V, 20W, 50Hz, IP54, G4

3011 GREY 12V, 20W, 50Hz, IP54, G4

▪ **Dimension:** Ø99x46mm



3012

3012 BLACK 12V, 20W, 50Hz, IP54, G4

▪ **Dimension:** Ø99x51mm



1503 BOX

1503 BOX WHITE 220-240VV, 60W, 50Hz, IP54, E27

▪ **Dimension:** 233x83x101mm



TO1544

TO1544 WHITE 220-240V, 60W, 50Hz, IP54, E27

▪ **Dimension:** 257x90x88mm



TO1541

TO1541 WHITE 220-240V, 60W, 50Hz, IP54, E27

▪ **Dimension:** 155x82x88mm



ARTIKLI DOSTUPNI DO ISTEKA ZALIHA

IR Tuks

TO1511

TO1511 WHITE E-27 60W MAX

TO1511 BLACK E-27 60W MAX



TO1512

TO1512 BLACK E-27 60W MAX

TO1512 WHITE E-27 60W MAX



TO1524

TO1524 BLACK E-27 60W MAX

TO1524 WHITE E-27 60W MAX



TO1525

TO1525 WHITE E-27 60W MAX



TO2008E

TO2008E BLACK E-27 60W MAX

TO2008E WHITE E-27 60W MAX



TO2008F

TO2008F BLACK E-27 60W MAX

TO2008F WHITE E-27 60W MAX



1803

1803 GREY 220-240V, 75W, 50HZ, IP54, E27

▪ **Dimension:** 264x118x128mm



SG-623579

SG-623579 PRIMO GRAPHITE 230V, 20W LED integrirani, IP65

▪ **Dimension:** Ø270x125mm



SG-633864

SG-633864 CANTO GRAPHITE 230V, 25W LED integrirani, IP65

▪ **Dimension:** Ø325x105mm



1801

1801 GREY 220-240V, 75W, 50HZ, IP54, E27

▪ **Dimension:** 264x118x128mm



1101

1101 WHITE 220-240V, 60W, 50Hz, IP54, E27

▪ **Dimension:** Ø240x128mm



2101

2101 WHITE 220-240V, 60W, 50HZ, IP54, E27

▪ **Dimension:** Ø250x125mm



ARTIKLI DOSTUPNI DO ISTEKA ZALIHA

IR Tuks

62741-A MAXI PC

IP65, E27, 100W, PC BLACK IP65, E27, 100W, PC

▪ **Dimension:** 280x170x132mm



2201

2201 BLACK 220-240V, 100W, 50Hz, IP54, E27

2201 WHITE 220-240V, 100W, 50Hz, IP54, E27

▪ **Dimension:** 320x205x125mm



2301

2301 SILVER 220-240V, 60W, 50Hz, IP54, E27

2301 BLACK 220-240V, 60W, 50Hz, IP54, E27

▪ **Dimension:** Ø191x100mm



62751-C MAXI PC

62751- MAXI PC BLACK IP65, E27, 100W, PC

▪ **Dimension:** Ø280x132mm



2074

2074 BLACK 220-240V, 75W, 50Hz, IP54, E27

2074 GREY 220-240V, 75W, 50Hz, IP54, E27

▪ **Dimension:** Ø260x133mm



SR6001, IP44



SR6001 DARK GREY LED, IP54, 3000K, ALU+ABS+PC, 25W

▪ **Dimension:** 600x70x90mm



PK-200TB

PK-200TB MATT WHITE 10W, AC220/240V, 600lm, 4000K

PK-200TB MATT ANTR. GREY 10W, AC220/240V, 600lm, 4000K


- **Dimension:** 290x200x100mm



PK-300TA SENSOR

PK-300TA SENSOR MATT ANTR. GREY 12W, AC220/240V, 900lm, 4000K

- **Dimension:** Ø300x100mm



PK-300TA

PK-300TA MATT WHITE IP66, 12W, AC220/240V, 900lm, 4000K

PK-300TA MATT ANTR. GREY IP66, 12W, AC220/240V, 900lm, 4000K

- **Dimension:** Ø300x100mm



PK-200TA

PK-200TA MATT ANTR. GREY 12W, AC220/240V, 950lm, 4000K

- **Dimension:** 290x200x100mm



2701

2701 BLACK 220-240V, 60W, 50Hz, IP54, E27



ARTIKLI DOSTUPNI DO ISTEKA ZALIHA

IR Tuks

PFT600W

PFT600W WHITE PE+PBS, IP65, E27, MAX25W

■ **Dimension:** 200x200x220mm



PFT606W

PFT606W WHITE PE+PBS, IP65, E27, MAX25W

Dimension: 280x280x600mm



PFT809W

PFT809W WHITE PE+PBS, IP65, E27, MAX25W

■ **Dimension:** 200x200x340mm



PFT800W

PFT800W WHITE PE+PBS, IP65, E27, MAX25W

Dimension: 200x200x280mm



PFT830W

PFT830W WHITE PE+PBS, IP65, E27, MAX25W

Dimension: 300x300x360mm



GL11602

GL11602 WHITE LED, 6W, IP54

- **Dimension:** 125x800x300mm

LG3624


LG3624 WHITE 230V, 100W, 50Hz, IP44, E27

- **Dimension:** 1000x155mm

B 006SS

B 006SS ZIDNA LAMPA 230V, 60W, 50Hz, IP44, E27

- **Dimension:** 402x115mm



SR31114

SR31114 DARK GREY LED, 9W, IP54, 3000K, 630lm

- **Dimension:** Ø108x800mm

TO3808A

TO3808A WHITE E27, IP54

TO3808A BLACK E27, IP54

TO3808A SILVER E27, IP54

- **Dimension:** Ø205x650mm



TO3808B

TO3808A WHITE E27, IP54

TO3808A SILVER E27, IP54

- **Dimension:** Ø205x650mm



ARTIKLI DOSTUPNI DO ISTEKA ZALIHA

IR Tuks

061-H

061-H BG 230V, 60W, 50Hz, IP44, E27

▪ **Dimension:** 210x300x210mm



0140-H

0140-H SILVER-BLACK 230V, 60W, 50Hz, IP44, E27

▪ **Dimension:** 150x380x150mm



0107-H

0107-H WH 230V, 60W, 50Hz, IP44, E27

Dimension: 200x260x200mm



3501

3501 WH



061-PL-3

061-PL-3 BG 230V, 60W, 50Hz, IP44, 3x E27

▪ **Dimension:** VISINA: 2070mm



0092-WD, 0092-H

0092-H TC 230V, 60W, 50Hz, IP44, E27

- **Dimension:** 210x350x210mm



0064-H

0064-H 230V, 60W, 50Hz, IP44, E27

- **Dimension:** 180x320x180mm



0022-H

0022-H BG 230V, 60W, 50Hz, IP44, E27

0022-H VG 230V, 60W, 50Hz, IP44, E27

- **Dimension:** 150x400x150mm



XTY-17031

XTY-17031 MATT BLACK E27

- **Dimension:** 450x780mm



ARTIKLI DOSTUPNI DO ISTEKA ZALIHA

IR Tuks

0006-H

0006-H RT 230V, 60W, 50Hz, IP44, E27

▪ Dimension: 200x400x200mm



6204

8007

8007 GREY

▪ Dimension: 220x383x125mm



6204 WHITE E27, IP44

▪ Dimension: Ø230x478mm



6201

6201 VERDIGRIS 220-240V, 60W, 50HZ, IP43, E27

▪ Dimension: 422x280mm



4105

4105 WHITE 220-240V, 60W, 50HZ, IP43, E27

4105 BLACK 220-240V, 60W, 50HZ, IP43, E27

▪ Dimension: 970x150mm



6205

6205 GB 220-240V, 100W, 50HZ, IP43, 3xE27

6205 SIVA 220-240V, 100W, 50HZ, IP43, 3xE27

6205 WHITE 220-240V, 100W, 50HZ, IP43, 3xE27

6205 VERDIGRIS 220-240V, 100W, 50HZ, IP43, 3xE27

▪ **Dimension:** 2060x450mm



6210

6210 GB 220-240V, 100W, 50HZ, IP43, E27

6210 WHITE 220-240V, 100W, 50HZ, IP43, E27

▪ **Dimension:** 422x280mm



6105

6105 VERDIGRIS 220-240V, 60W, 50HZ, IP43, E27

▪ **Dimension:** 972x202mm



XTY-17012-M-W

XTY-17012-M-W MATT BLACK E27, IP44

▪ **Dimension:** 350x360mm



ARTIKLI DOSTUPNI DO ISTEKA ZALIHA

IR Tuks

8105

8105 WHITE E27, 100W MAX, IP43

▪ **Dimension:** 160x1090cm



XTY-087

XTY-087 WH E27, 40W MAX, IP54

▪ **Dimension:** 36*36*30cm



6213

6213 GB 220-240V, 100W, 50HZ, IP43, 3xE27

6213 WHITE 220-240V, 100W, 50HZ, IP43, 3xE27

▪ **Dimension:** 2060x450mm



XTY-071

XTY-071-WD E27, 100W MAX

▪ **Dimension:** 36x27, h=60cm

XTY-071-H E27, 100W MAX

▪ **Dimension:** 27x27, h50, lanac 75cm




XTY.071-WD

XTY.071-H

SY1 1X36, SY 1X58

SY1 x 36W IP54 ■ **Dimension:** L= 1270, B= 81, H= 93mm

SY1 x 58W IP54 ■ **Dimension:** L= 1570, B= 81, H= 93mm



PD-PIR500H 500W

PD-PIR500H 500W WHITE INFRARED SENSOR LAMP IP54

PD-PIR500H 500W BLACK INFRARED SENSOR LAMP IP54

■ **Dimension:** 230x210x170mm



SD-F013-MS

SD-F013-MS-10DW 120-140lm/W, SMD5730 EPISTAR, 4000K, 120°, 10W, 85-265V/50-60HZ, IP54

■ **Dimension:** 120x127x40mm

SD-F013-MS-20DW 120-140lm/W, SMD5730 EPISTAR, 4000K, 120°, 20W, 85-265V/50-60HZ, IP54

■ **Dimension:** 184x184x64mm

SD-F013-MS-30DW 120-140lm/W, SMD5730 EPISTAR, 4000K, 120°, 30W, 85-265V/50-60HZ, IP54

■ **Dimension:** 227x227x80mm

**MS U OZNACI PREDSTAVLJA 5.8GHZ MICROWAVE SENSOR



ARTIKLI DOSTUPNI DO ISTEKA ZALIHA

IR  Tuks

SD-F001 -50DW

SD-F001-50DW 50W, LED Flood light, 80-90lm/W, 4000K, 120°, aluminium+glass, IP65

- **Dimension:** 286x232x125mm



SD-F006PIR

SD-F006PIR-10CW 10W, PIR LED Flood light, 80-90lm/W, 6000K, 120°, aluminium+glass, IP65

- **Dimension:** 160x50x180mm

SD-F006PIR-50CW 50W, PIR LED Flood light, 80-90lm/W, 6000K, 120°, aluminium+glass, IP65

- **Dimension:** 232x125x286mm



SD-F015-70W

SD-F015-70W 70W, LED Flood light, 4000K, AC85-265V, Epistar 38 mil chip, IP65

- **Dimension:** 286x185x105mm



LED-FL2-AC220-240V-10W

LED-FL2-AC220-240V-10W 10W, LED Flood light, IP65, 700lm, PF: >0.85, 3000K, Ra: 80, 140°, Aluminium, Diffuser: glass, 2 years warranty, IP65

- **Dimension:** 135x111x18.5mm



LED-SMD-220-240V

LED-SMD-220-240V-10W 10W, PIR LED Flood light, IP44, PF >0.9, 800lm, 6000K, 120°, Aluminium body, Glass Diffuser, IP65

▪ **Dimension:** 130x150x50mm

LED-SMD-220-240V-30W 30W, PIR LED Flood light, IP44, PF >0.9, 2500lm, 6000K, 120°, Aluminium body, Glass Diffuser, IP65

▪ **Dimension:** 170x190x70mm



SD-ST013



SD-ST013 12W 1W HIGH POWER, 12W, EPISTAR 35mm, 6500K, 80x140°, 110-120lm/W, IP65

▪ **Dimension:** 350x95x55mm

SD-ST013 24W 1W HIGH POWER, 24W, EPISTAR 35mm, 6500K, 80x140°, 110-120lm/W, IP65

▪ **Dimension:** 400x141x70mm



ARTIKLI DOSTUPNI DO ISTEKA ZALIHA

IR luks